



Changzhou Suma Precision Machinery Co.,Ltd

Address: Liudao Industrial Park, Yaoguan Town, Changzhou City, Jiangsu Province, China 213102


Contact person: Ellen Zhang

Teams: suma.com5

Email: ellen@chinasuma.com

Tel: 0086 18068536660

CYR TECHNICAL PARAMETER



No seals Ref No.	Sealed Ref No.	Sealed Ref No.	OD (RD) Inch	Width (W) Inch	ID (B) Inch	Width over end plates (W1) Inch	Dia. Of end plate (E) Inch	Static Capacity LBS	Dynamic Capacity LBS
CYR-3/4	CYR-3/4-S	CCYR-3/4-S	0.75	0.5	0.25	0.5625	39/64	4130	1660
CYR-7/8	CYR-7/8-S	CCYR-7/8-S	0.875	0.5	0.25	0.5625	39/64	4130	1660
CYR-1	CYR-1-S	CCYR-1-S	1	0.625	0.3125	0.6875	25/32	6120	2225
CYR-1 1/8	CYR-1 1/8-S	CCYR-1 1/8-S	1.125	0.625	0.3125	0.6875	25/32	6120	2225
CYR-1 1/4	CYR-1 1/4-S	CCYR-1 1/4-S	1.25	0.75	0.375	0.8125	63/64	8500	3930
CYR-1 3/8	CYR-1 3/8-S	CCYR-1 3/8-S	1.375	0.75	0.375	0.8125	63/64	8500	3930
CYR-1 1/2	CYR-1 1/2-S	CCYR-1 1/2-S	1.5	0.875	0.4375	0.9375	1 3/32	11280	4840
CYR-1 5/8	CYR-1 5/8-S	CCYR-1 5/8-S	1.625	0.875	0.4375	0.9375	1 3/32	11280	4840
CYR-1 3/4	CYR-1 3/4-S	CCYR-1 3/4-S	1.75	1	0.5	1.0625	1 1/4	15840	6385
CYR-1 7/8	CYR-1 7/8-S	CCYR-1 7/8-S	1.875	1	0.5	1.0625	1 1/4	15840	6385
CYR-2	CYR-2-S	CCYR-2-S	2	1.25	0.625	1.3125	1 13/32	21140	8090
CYR-2 1/4	CYR-2 1/4-S	CCYR-2 1/4-S	2.25	1.25	0.625	1.3125	1 13/32	21140	8090
CYR-2 1/2	CYR-2 1/2-S	CCYR-2 1/2-S	2.5	1.5	0.75	1.5625	1 11/16	32900	11720
CYR-2 3/4	CYR-2 3/4-S	CCYR-2 3/4-S	2.75	1.5	0.75	1.5625	1 11/16	32900	11720
CYR-3	CYR-3-S	CCYR-3-S	3	1.75	1	1.8125	2 1/8	49820	15720
CYR-3 1/4	CYR-3 1/4-S	CCYR-3 1/4-S	3.25	1.75	1	1.8125	2 1/8	49820	15720
CYR-3 1/2	CYR-3 1/2-S	CCYR-3 1/2-S	3.5	2	1.125	2.0625	2 7/16	63250	22800
CYR-4	CYR-4-S	CCYR-4-S	4	2.25	1.25	2.3125	2 51/64	89540	29985
	CYR-5-S	CCYR-5-S	5	2.75	1.75	2.875	3 9/16	135900	46575
	CYR-6-S	CCYR-6-S	6	3.25	2.25	3.375	4 15/32	160900	60000
	CYR-7-S	CCYR-7-S	7	3.75	2.75	3.875	5 3/16	213860	75380
	CYR-8-S	CCYR-8-S	8	4.25	3.255	4.5	4 3/8	288200	92200
	CYR-9-S	CCYR-9-S	9	4.75	3.755	5	5 1/16	366850	113260
	CYR-10-S	CCYR-10-S	10	5.25	4.255	5.5	5 15/32	431130	131545

